



ALZADO

Opera

COREtec® ProPlus
COREtec® Floors

<http://www.coretecfloors.com> | info@usfloors.be

Tipo material: Vinilo | Decoración de madera

Tipo de colocación: Sistema aleatorio

¿Busca un suelo resistente a los golpes? Con su núcleo resistente a los impactos y su acabado minimalista, un suelo ProPlus es una excelente opción para espacios comerciales, como tiendas y gimnasios.

mtextur ID	106709
Fabricante	COREtec® Floors
Email fabricante	info@usfloors.be
Línea de producto	COREtec® ProPlus
Detalles línea del producto	¿Busca un suelo resistente a los golpes? Con su núcleo resistente a los impactos y su acabado minimalista, un suelo ProPlus es una excelente opción para espacios comerciales, como tiendas y gimnasios.
Nombre material	Opera
Tipo material	Vinilo / Decoración de madera
Información material	Tipo de colocación: Sistema aleatorio
eBKP	G 2.2 Bodenbelag / G 2.2 Finished floor coverings
IFC	IfcCovering / IfcSlab.Floor
Área de aplicación (mtextur Classic)	Interior / Solado
Zonas de entrega	CH / DE / LU / NL / FR / IT / AT / BE / ES / PT / SE / NO / FI / NZ / PL / SK / LI / MC
Tamaño de la textura CAD y BIM	Altura: 4758.0 mm / Anchura: 4560.0 mm

IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.

Longitud máxima / Formato	Longitud = 1520 mm / Anchura = 183 mm / Espesor = 5 mm
Calidad	COREtec® Pro Core
Peso material	8.27 kg/m²
Conductividad térmica	0.0318 W/mK
Brandkennziffer	Bfl - S1 (EN 13501)
Reflexión de la luz	> grade 6 (ISO 105-B02)
Tolerancia dimensional (L/A)	Pass ≤ 0.25% (EN ISO 23999) mm
Absorción del sonido	17.0 α_w
Resistencia a la luz	> grade 6 (ISO 105-B02)
Características	Klick-Vinyl, Vinyl, Klick-Boden, Kork (dank Unterlage), LVT, Fliese, Fliesenböden, Keramikböden

IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.