

**Interface®**

VIEW

EXPOSE 4314007

Connected Ethos 100

Interface

<https://www.interface.com/EU/de-DE/homepage> |

Type: **Carpet | Tuft**

Verlegerichtung: Richtungsfrei

Connected Ethos CE100 kombiniert 16 warme, erdige Neutraltöne mit 16 Akzentfarben, darunter Gras- und Dschungelgrün, eisiges Blau und kühles Grau. So entstehen Räume, die als Rückzugsort dienen und die Möglichkeit bieten, sich mit der Natur zu verbinden.

mtextur ID	111571
Manufacturer	Interface
Product Line	Connected Ethos 100
Product Line Info	Connected Ethos CE100 kombiniert 16 warme, erdige Neutraltöne mit 16 Akzentfarben, darunter Gras- und Dschungelgrün, eisiges Blau und kühles Grau. So entstehen Räume, die als Rückzugsort dienen und die Möglichkeit bieten, sich mit der Natur zu verbinden.
Material Name	EXPOSE 4314007
Type	Carpet / Tuft
Material Info	Verlegerichtung: Richtungsfrei
eBKP	G 2.2 Bodenbelag / G 2.2 Finished floor coverings
IFC	IfcCivilElement
Area of application (mtextur Classic)	Inside / Floor
Delivery zones	CH / DE / AT / LI
Size of the CAD & BIM texture	Height: 2000.0 mm / Width: 2000.0 mm

IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.

max. Length / Format	Thickness = 6 mm
min. Format	Thickness = 6 mm
Weight	3.9 kg/m ²
Fire protection class	(EN ISO 9239-1) Euroclass Cfl-s1 (EN 13501-1)
Sound absorption	0.2 α_w
Characteristics Info	Tuftgemusterte strukturierte Schlingenqualität

IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.