



ALZADO

**Puroliss – RAL 9011 | Graphitschwarz**  
**PUROLISS | RAL & NCS**  
**Walo Bertschinger**

<http://walo.ch> | [bodenbelaege@walo.ch](mailto:bodenbelaege@walo.ch)

**Tipo material:**    **Plástico | Poliuretano**

Fliessbelag – Kunstharzbelag | Farbverbindliche Muster > Anfrage & Muster

mtextur ID	30775
Fabricante	Walo Bertschinger
Email fabricante	bodenbelaege@walo.ch
Línea de producto	PUROLISS   RAL & NCS
Nombre material	Puroliss – RAL 9011   Graphitschwarz
Tipo material	Plástico / Poliuretano
Información material	Fliessbelag – Kunstharzbelag   Farbverbindliche Muster > Anfrage & Muster
eBKP	G 2.2 Bodenbelag / G 2.2 Finished floor coverings
IFC	lfcCovering / lfcSlab.Floor
Área de aplicación (mtextur Classic)	Interior / Solado
Zonas de entrega	CH / DE / LI
Tamaño de la textura CAD y BIM	Altura: 500.0 mm / Anchura: 500.0 mm

## IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.

Longitud máxima / Formato	Espesor = 3 mm
min. Formato	Espesor = 2 mm
Características	<p>Polyurethanharz. Trittfreundlich, leicht schalldämmend, porenfreie Oberfläche mit Mattversiegelung. Farben nach RAL oder NCS möglich. d = 2–3 mm.</p> <p>Résine de polyuréthane. Bon confort de marche, effet légèrement insonorisant, exempt de pores, surface vitrifiée mate. Couleurs selon RAL ou NCS disponibles. Epaisseur = 2 à 3 mm.</p> <p>Resina poliuretánica. Píacevole al calpestio, leggermente insonorizzante, superficie senza pori con sigillatura opaca. Possibilità di tinte a norma RAL o NCS. d = 2–3 mm.</p>

**IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:**

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.