



**Argolite**

VIEW

## 2012 Day in Autumn

### HPL Argoprint

### Argolite

<http://www.argolite.ch> | [verkauf@argolite.ch](mailto:verkauf@argolite.ch)

**Type:** HPL | Printed

texture discontinuous, pressure

mtextur ID	64749
Manufacturer	Argolite
Manufacturer-Email	<a href="mailto:verkauf@argolite.ch">verkauf@argolite.ch</a>
Product Line	HPL Argoprint
Material Name	2012 Day in Autumn
Type	HPL / Printed
Material Info	texture discontinuous, pressure
eBKP	C 2.2 Innenwandkonstruktion / C 2.2 Internal walls / C 4.1 Decke / C 4.1 Suspended slabs / G 3.2 Finished wall coverings / G 3.2 Wandbekleidung / G 4.2 Deckenbekleidung / G 4.2 Finished ceiling coverings / I 2.2 Freestanding walls / I 2.2 Frei stehende Wand
IFC	lfcCovering / lfcFurniture
Area of application (mtextur Classic)	Inside / Wall / Ceiling / Furniture
Delivery zones	CH / DE / FR / IT / AT / LI

#### IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.

max. Length / Format	Length = 2590 mm / Width = 1290 mm / Thickness = 10 mm
min. Format	Length = 2150 mm / Width = 1050 mm / Thickness = 1 mm
Quality	SN EN 438
EN/DIN	SN EN 438
ISO	SN EN ISO 9001, SN EN ISO 14001, ISO 14045
Weight	1400.0 kg/m <sup>3</sup>
Thermal Conductivity	0.3 W/mK
Fire protection class	4.3
Dimension tolerance length/width	-0 / +20 mm
Characteristics Info	<ul style="list-style-type: none"> <li>• Sizes: 2160 mm x 1060 mm, 2600 mm x 1300 mm</li> <li>• Material weight, density: approx. 1400 – 1970 kg/m<sup>3</sup> depending on the design.</li> <li>• Variants: For covering (not self-supporting), covered Chipboard, covered MDF, covered Norrit (RF1), magnetic adhesive, with vapor barrier, anti-fingerprint</li> <li>• Possible Applications: Furniture, fronts, (glued) wall panels, (sliding) door panels</li> <li>• Mainly vertical application</li> </ul>

#### IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.