



nora[®]
by **Interface**[®]

ALZADO

noraplan signa/7068

noraplan signa

nora systems GmbH

<https://www.nora.com/schweiz/de> | info-de@nora.com

Tipo material: **Caucho | Pavimento**

Bahnenware: ~1,22 m x 15,0 m

Kautschukbelag mit einem changierenden Grundton aus drei harmonisch aufeinander abgestimmten Farbkomponenten und charakteristischen Granulateinschlüssen.

mtextur ID	81492
Fabricante	nora systems GmbH
Email fabricante	info-de@nora.com
Línea de producto	noraplan signa
Detalles línea del producto	Kautschukbelag mit einem changierenden Grundton aus drei harmonisch aufeinander abgestimmten Farbkomponenten und charakteristischen Granulateinschlüssen.
Nombre material	noraplan signa/7068
Tipo material	Caucho / Pavimento
Información material	Bahnenware: ~1,22 m x 15,0 m
eBKP	G 2.2 Bodenbelag / G 2.2 Finished floor coverings
IFC	IfcCovering / IfcSlab.Floor
Área de aplicación (mtextur Classic)	Interior / Solado
Zonas de entrega	CH / DE / LU / NL / FR / IT / AT / BE / CA / DK / US / ES / PT / GB / IE / SE / NO / LI

IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.

Longitud máxima / Formato	Longitud = 15000 mm / Anchura = 1220 mm / Espesor = 2 mm
Conductividad térmica	0.61 W/mK
Características	Rutschhemmung: R 9. Trittschallverbesserungsmass: 6 dB. Als Fliese 610 x 610 mm lieferbar, Art. 2462. Auch in 3mm Dicke lieferbar (Art. 1463, Bahnenware, Art. 2463, Fliesen, 8dB). Ausgewählte Farben als Spezialbelag noraplan signa ed elektrostatisch ableitend oder als norplan signa acoustic trittschalldämmend, 20 dB, lieferbar.

IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.