



Argolite

ALZADO

4007 Fleur de Lys (218)

Oberflächenveredelungen Fertigprodukte

Argolite

<http://www.argolite.ch> | verkauf@argolite.ch

Tipo material: HPL | Fibra natural

Textur stetig

Bearbeitung von Argolite HPL unter Einhaltung der Norm SN EN 438

mtextur ID	98375
Fabricante	Argolite
Email fabricante	verkauf@argolite.ch
Línea de producto	Oberflächenveredelungen Fertigprodukte
Detalles línea del producto	Bearbeitung von Argolite HPL unter Einhaltung der Norm SN EN 438
Nombre material	4007 Fleur de Lys (218)
Tipo material	HPL / Fibra natural
Información material	Textur stetig
eBKP	C 2.2 Innenwandkonstruktion / C 2.2 Internal walls / C 4.1 Decke / C 4.1 Suspended slabs / G 3.2 Finished wall coverings / G 3.2 Wandbekleidung
IFC	IfcCovering / IfcFurniture / IfcWall
Área de aplicación (mtextur Classic)	Interior / Pared / Techo / Mobiliario
Zonas de entrega	CH / DE / FR / IT / AT / LI

IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.

Longitud máxima / Formato	Longitud = 2600 mm / Anchura = 1300 mm / Espesor = 30 mm
min. Formato	Longitud = 2600 mm / Anchura = 1300 mm / Espesor = 1 mm
Calidad	SN EN 438
EN/DIN	SN EN 438
ISO	SN EN ISO 9001, SN EN ISO 14001, ISO 14269
Peso material	1400.0 kg/m ³
CO ₂ encarnado	EPD Homepage, Anfrage ECO ₂
Conductividad térmica	0.3 W/mK
Brandkennziffer	4.3
Tolerancia dimensional (L/A)	-0 / +20 mm
Resistencia a la luz	Innenanwendung
Características	<ul style="list-style-type: none"> • HPL 0.9 mm und Kompakt • Formate: 2600 mm * 1300 mm • Materialgewicht, Dichte: ca. 1400 – 1970 kg/m³ je nach Ausführung • Ausführungen: Zum Belegen (nicht selbsttragend), Kompakt (selbsttragend), Spanplatten belegt, MDF belegt, Norrit belegt (RF1), Magnethaftend, mit Dampfsperre • Mögliche Anwendungen: Möbel, Fronten, (geklebte) Wandverkleidungen, (Schiebe-)Türblätter

IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.