



VIEW

## Dome 0695B

**COREtec® CERATOUCH**  
**COREtec® Floors**

<http://www.coretecfloors.com> | [jolien.minnaert@usfloors.be](mailto:jolien.minnaert@usfloors.be)

**Type:** Vinyl | Stone decor

Laying type: Running bond

Our CERATOUCH Collection is a real revolution in ceramic flooring. It brings you the best of both worlds: the strength plus look and feel of a ceramic tile combined with the comfort and ease of installation of a COREtec® floor. On top of that, the floor has a warm feeling when walking on it with bare feet. Walk the difference!

mtextur ID	98465
Manufacturer	COREtec® Floors
Manufacturer-Email	jolien.minnaert@usfloors.be
Product Line	COREtec® CERATOUCH
Product Line Info	Our CERATOUCH Collection is a real revolution in ceramic flooring. It brings you the best of both worlds: the strength plus look and feel of a ceramic tile combined with the comfort and ease of installation of a COREtec® floor. On top of that, the floor has a warm feeling when walking on it with bare feet. Walk the difference!
Material Name	Dome 0695B
Type	Vinyl / Stone decor
Material Info	Laying type: Running bond
eBKP	G 2.2 Bodenbelag / G 2.2 Finished floor coverings
IFC	IfcCovering / IfcSlab.Floor
Area of application (mtextur Classic)	Inside / Floor
Delivery zones	CH / DE / LU / NL / FR / IT / AT / BE / ES / PT / SE / NO / FI / NZ / PL / SK / LI / MC
Size of the CAD & BIM texture	Height: 3660.0 mm / Width: 3660.0 mm

#### IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.

max. Length / Format	Length = 915 mm / Width = 457 mm / Thickness = 8 mm
Quality	COREtec® Mineral Core
Weight	11.29 kg/m <sup>2</sup>
Thermal Conductivity	0,0295 W/mK
Fire protection class	Bfl - S1 (EN 13501)
Light reflectance value	> grade 6 (ISO 105-B02)
Dimension tolerance length/width	Pass ≤ 0.25% (EN ISO 23999) mm
Sound absorption	18.0 $\alpha_w$
Lightfastness	> grade 6 (ISO 105-B02)
Characteristics Info	Click vinyl, vinyl, click floor, cork (thanks to underlayment), LVT, tile, tile floors, ceramic floors

#### IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.